


FOOTBALL GOALS



*Pole padding sold separately

STEEL GOALS

- Goals are all steel and constructed of 4½" OD gooseneck, 3½" OD crossbar and 2¾" OD uprights
- 8' Gooseneck allows a soccer goal to fit beneath the crossbar
- Durable powder coat finish available in white or optic yellow

Ground Sleeve Installation

FB36120CXX 6' Offset, HS Crossbar, 20' Uprights

FB38120CXX 8' Offset, HS Crossbar, 20' Uprights

Plate Mount Installation

FB46120CXX 6' Offset, HS Crossbar, 20' Uprights

FB48120CXX 8' Offset, HS Crossbar, 20' Uprights

SOLD SEPARATELY

F39902 Ground Sleeve

F35550 Mounting Plate

COLORS

| | |
|-------|--------------|
| 04 | 18 |
| WHITE | OPTIC YELLOW |

*To specify color with order, use the two-digit number of your color selection to replace XX in the item number.

ACCESS FRAME KIT

This kit provides effortless access to the base of a football goal for easy installation, adjustment, or removal. The access frame creates a uniform, seamless surface around the goal post for improved safety. Kit includes access frame and pole plugs that fit around a goal post with a diameter up to 6⅝". For safety, a solid plug is strongly recommended for use when the goal post is removed. Each goal post requires one kit. Blank metal allows track surface application for continuity in D-Zones.

F304 Access Kit - Turf Covered

F304S Access Kit - Blank Metal

F30410 Access Frame Only

F3042 Pole Plugs - Turf Covered

F3043 Pole Plugs - PVC


F3044 Pole Plugs - Blank Metal

F3045 Solid Plugs - Turf Covered

F3046 Solid Plugs - PVC

F3047 Solid Plugs - Blank Metal





ALUMINUM GOALS

New goals have a cleaner look and are redesigned for an easier installation that eliminates field drilling.

- 6 5/8" Gooseneck and crossbar with 4" diameter uprights
- 8' Gooseneck allows a soccer goal to fit beneath the crossbar
- Durable powder coat finish available in optic yellow (18) or white (04)

HIGH SCHOOL GOALS (23' 4" BETWEEN UPRIGHTS)

Ground Sleeve Installation

| | |
|-------------------|---------------------------------|
| FB16120CXX | 6' Offset, 20' Uprights |
| FB16130CXX | 6' Offset, 30' Uprights |
| FB16131CXX | 6' Offset, Spliced 30' Uprights |
| FB16135CXX | 6' Offset, Spliced 35' Uprights |
| FB18120CXX | 8' Offset, 20' Uprights |
| FB18130CXX | 8' Offset, 30' Uprights |
| FB18131CXX | 8' Offset, Spliced 30' Uprights |
| FB18135CXX | 8' Offset, Spliced 35' Uprights |

Plate Mount Installation

| | |
|-------------------|---------------------------------|
| FB26120CXX | 6' Offset, 20' Uprights |
| FB26130CXX | 6' Offset, 30' Uprights |
| FB26131CXX | 6' Offset, Spliced 30' Uprights |
| FB26135CXX | 6' Offset, Spliced 35' Uprights |
| FB28120CXX | 8' Offset, 20' Uprights |
| FB28130CXX | 8' Offset, 30' Uprights |
| FB28131CXX | 8' Offset, Spliced 30' Uprights |
| FB28135CXX | 8' Offset, Spliced 35' Uprights |

COLLEGIATE GOALS (18' 6" BETWEEN UPRIGHTS)

Ground Sleeve Installation

| | |
|-------------------|---------------------------------|
| FB16220CXX | 6' Offset, 20' Uprights |
| FB16230CXX | 6' Offset, 30' Uprights |
| FB16231CXX | 6' Offset, Spliced 30' Uprights |
| FB16235CXX | 6' Offset, Spliced 35' Uprights |
| FB18220CXX | 8' Offset, 20' Uprights |
| FB18230CXX | 8' Offset, 30' Uprights |
| FB18231CXX | 8' Offset, Spliced 30' Uprights |
| FB18235CXX | 8' Offset, Spliced 35' Uprights |

Plate Mount Installation

| | |
|-------------------|---------------------------------|
| FB26220CXX | 6' Offset, 20' Uprights |
| FB26230CXX | 6' Offset, 30' Uprights |
| FB26231CXX | 6' Offset, Spliced 30' Uprights |
| FB26235CXX | 6' Offset, Spliced 35' Uprights |
| FB28220CXX | 8' Offset, 20' Uprights |
| FB28230CXX | 8' Offset, 30' Uprights |
| FB28231CXX | 8' Offset, Spliced 30' Uprights |
| FB28235CXX | 8' Offset, Spliced 35' Uprights |


SOLD SEPARATELY

| | |
|---------------|----------------|
| F39901 | Ground Sleeve |
| F35550 | Mounting Plate |

FOOTBALL STOPPER SET

This football stopper set is designed to keep fans and bystanders safe from field goals and extra points. Installed behind each football goal, the 35' x 50' net can be raised and lowered with ease during a game or stationary during practice. Set includes two stoppers (1 for each goal).

F350



SPECIALTY GOALS



STEEL H-STYLE FOOTBALL/RUGBY GOALS

- Uprights And Crossbar Constructed of 3½" Steel Tube
- Durable white or optic yellow powder coat finish

RUGBY/COLLEGIATE/PRO GOALS (18' 6" BETWEEN UPRIGHTS)

281181CXX Goals, 10' uprights

281182CXX Goals, 20' uprights

HIGH SCHOOL GOALS (23' 4" BETWEEN UPRIGHTS)

281231CXX Goals, 10' uprights

281232CXX Goals, 20' uprights

COLORS



*To specify color with order, use the two-digit number of your color selection to replace XX in the item number.

COMBINATION FOOTBALL/SOCCER GOALS

- Football uprights can be secured at 23'4" or 18'6" widths or removed for soccer play. Constructed of 4"x 2" steel tube with 2" square steel tube uprights that extend 10' above crossbar. Soccer nets/backstays sold separately. Soccer goal is 8' x 24' x 8'.
- Meets high school specs for football/soccer
- Durable white powder coat finish

00274000 Combination Goal


SOLD SEPARATELY

00424000 Required Ground Sleeve

00491824 Net For Use with Backstay (pair)

00291000 Standard Backstay (Set of 4)

292300 European Backstay (Set of 4)



CROSSOVER ZONE®

For everyday use, the Crossover zone is lighter and easier to handle than other conveyor belt rubber systems. Protects against steel tipped cleats, shoes and even grounds equipment wheels, yet rain drains through. Black geotextile with gold edging for safety and durability.

493663 15' x 30' Zone

493664 15' x 40' Zone

493651 15' x 75' Zone

493652 15' x 100' Zone

493653 15' x 125' Zone

493667 7.5' x 30' Zone

493668 7.5' x 40' Zone