OUTDOOR PADDING



Essentials Outdoor Wall & Fence Pads

2" thick polyurethane foam core attached to ½" thick, sealed, water resistant Extira® wood. Pad meets the minimum ASTM F2440 impact standard specification. Each panel uses 15oz UV treated vinyl. WALL PAD panels have an unwrapped back. FENCE PAD panels are completely wrapped, using threaded wood inserts to allow for chain link fence attachment. All pads can also be installed using "Z" clips allowing seasonal removal, repair, or replacement. All Pads built to your specified dimensions with a maximum width of 4". Custom Graphics available (add SP to end of item #).

WALL PADS	FENCE PADS	
36202XX	36402XX	4' x 2' Pad
9036202XX	9036402XX	Custom Size
		4. 4.0

9036202XX	9036402XX	Custom Size - 4' x 2' or less
36204XX	36404XX	4' x 4' Pad
9036204XX	9036404XX	Custom Size - 4' x 4' or less
36206XX	36406XX	4' x 6' Pad
9036206XX	9036406XX	Custom Size - 4' x 6' or less
36208XX	36408XX	4' x 8' Pad
9036208XX	9036408XX	Custom Size - 4' x 8' or less

Essentials Vinyl



Use the two-digit number of your color selection to replace XX in the item number.

WALL ATTACH Z-CLIPS

347100	6' Wall Attachment Clip	
362020	1'10" Panel Attachment Clip	

Custom Graphics Available for Essentials and Elite Pads (Additional Charge) Add SP to end of item #

Elite Outdoor Wall & Fence Pads

3" thick polyurethane foam core attached to ½" thick, sealed, water resistant Extira® wood. Pad meets the minimum ASTM F2440 impact standard specification. Each panel uses 19oz UV treated vinyl. WALL PAD panels have an unwrapped back. FENCE PAD panels are completely wrapped, using threaded wood inserts to allow for chain link fence attachment. All pads can also be installed using "Z" clips allowing seasonal removal, repair, or replacement. All Pads built to your specified dimensions with a maximum width of 4'. Custom Graphics available (add SP to end of item #).

WALL PADS	FENCE PADS	
36302XX	36502XX	4' x 2' Pad
9036302XX	9036502XX	Custom Size - 4' x 2' or less
36304XX	36504XX	4' x 4' Pad
9036304XX	9036504XX	Custom Size - 4' x 4' or less
36306XX	36506XX	4' x 6' Pad
9036306XX	9036506XX	Custom Size - 4' x 6' or less
36308XX	36508XX	4' x 8' Pad
9036308XX	9036508XX	Custom Size - 4' x 8' or less

Elite Vinyl



Use the two-digit number of your color selection to replace XX in the item number.







Hexagon Pole Pad

6-sided pad fits pole diameters from 10" minimum up to maximum of 24". Pad has a maximum height of 8' tall and is construted using 15oz UV resistant vinyl.

90616XX

Custom Size Pad

Vinyl



Use the two-digit number of your color selection to replace XX in the item number.



Fence Toppers

An inexpensive way to outline the perimeter of your ballpark and reduce player injuries by adding protection and clear visibility. Constructed of bright yellow 4" diameter rigid corrugated plastic tubing. Pre-split for use with install tool for easier installation. Weather treated and UV protected to last the test of time. Adds a professional quality appearance on every game day. Optional installation tool and UV resistant cable ties available.

332F106	100' Length
332F256	250' Length
332F3	Installation Tool
332F4	21" Cable Ties, Set of 100



Rail Padding

8' long pads are polyethylene foam with colored vinyl coating. UV, weather and rot resistant pads are pre-slit for easy installation. Fits over any $2^{1/8}$ " diameter or less pipe.

35901	Light Blue
35903	Red
35906	Yellow
35909	Gray
35912	Black
35913	Navy
35914	Green

Fence Padding Kit

Designed to pad the top rail of woven wire fence and minimize injuries to players during outdoor activities.

Pads consist of shock absorbing, closed cell weather resistant polyethylene foam and a polyester reinforced cover with grommets and durable nylon, self-locking type wire ties. Kit is provided in 9 slit sections of 31/2" O.D. x 2" I.D. foam in 28" lengths. The cover is one 20' section, which may be easily cut to provide custom lengths when required. Standard is yellow, available in 14 colors.

003581XX

20' Padding





WINDSCREENS







TUFFY® WINDSCREENS

Screens are made with an exclusive durable mesh fabric of tightly woven micro-fibers: it's virtually tear-proof. Tuffy $\!\!^{\scriptscriptstyle{\oplus}}$ is the only windscreen finished with double-needle lock stitching, eliminating the thread unraveling problem of traditional windscreens. Includes 5 year warranty, available in 20 colors. Grommets every 12". 78% Shading. Custom Printing available - call for details.

912014	Tuffy® 4' Windscreen, Per Linear Foot
912015	Tuffy® 5' Windscreen, Per Linear Foot
912016	Tuffy® 6' Windscreen, Per Linear Foot
912019	Tuffy* 9' Windscreen, Per Linear Foot
912065	6' x 5' Ballasted Tuffy® Windscreen

AER-FLO VCP® WINDSCREENS

Made for 8 oz. vinyl coated polyester mesh with double lock-switch sewn ends/corners. Grommets every 12"; available in Black, Dark Green, Navy, Royal Blue, Red, or Maroon. Includes 2 year warranty. 70% shade. Custom printing available - call for details.

912026	VCP 6' Windscreen, Per Linear Foot	
912029	VCP 9' Windscreen, Per Linear Foot	

LENO WINDSCREENS

Made of leno polypropylene mesh. Reinforcing threads resist tearing, features ultraviolet and mildew inhibitors. Allows 15% wind passage; popular in high wind areas. Available in Dark Green, Black, or Royal, printing not available on this fabric.

912036	LENO 6' Windscreen, Per Linear Foot
912039	LENO 9' Windscreen, Per Linear Foot

CLOSED MESH POLY WINDSCREENS

Allowing only 8% wind passage, this screen has both high wind blockage and high visual blockage properties. Heavyweight polypropylene fabric is treated for UV, mildew, and insect resistance. Available in Dark Green or Black, grommets every 18". Air vents and tie downs are recommended. Printing not available on this fabric.

912046	6' Poly Closed Mesh Windscreen, Per Linear Foot
912049	9' Poly Closed Mesh Windscreen, Per Linear Foot

CLOSED MESH POLY WINDSCREENS

912051	Homerun Zone Windscreen Topper, Per Linear Foot
912071	Hemmed Windscreen 6" x 12" Window
912081	Rectangular Windscreen 6" x 12" Air Vent